



山东富力包装材料有限公司
Shandong Fully Packaging Materials Co., LTD

中国 · 山东



Contents

目 录

01	企业简介	Enterprise Introduction
02	产品类别	Product category
	● POF膜系列	POF shrink film series
	● PE膜系列	PE film series
	● 可降解膜系列	Degradable film series
	● 塑料袋系列	Plastic bag series
03	厂房设备	plant and equipment
04	企业荣誉	Corporate Honors

企业简介 Enterprise Introduction

山东富力包装材料股份有限公司成立于2011年，公司坐落于国家级5A景区，毗邻亚洲最大的湿地公园——美丽的微山湖畔。主要经营各种POF热收缩膜及袋、PE热收缩膜及袋、碗面膜、挂面膜、印刷膜以及各种可降解和塑料类薄膜、购物袋、快递袋、奶茶袋、平口袋、农用地膜等产品。

公司于2020年完成企业改制，拥有国企背景，2018年，完成齐鲁股权交易中心挂牌上市，公司拥有强大的自主研发队伍和技术能力，申请各项专利及软件著作权三十余项，先后获得国家级“高新技术企业”、“专精特新”企业、“工程技术研究中心”、“企业技术中心”、“守合同重信用”等荣誉称号；同时获得QS、ISO9001国际质量体系、BRC、SGS、GRS、国家安全生产标准化体系等国际、国内多项专业认证。

公司拥有自主研发的25条五层共挤环保型热收缩膜和可降解材料生产线。同时配套了各种专业的分切机、对折机、智能混料机、精准在线测厚仪、制袋机以及先进的智能检测仪器，让每款产品都能达到更高品质要求。

多年来富力公司始终秉持“以市场为先导、以客户为中心、以质量为生命”的经营理念，拥有良好的行业口碑，公司已携手众多国内知名企业建立长期合作关系。产品同时畅销欧美、中东、东南亚等国家和地区，广泛应用于食品、工业、工艺、家电、医药、商超、农业等行业领域，深受客户的支持和信赖。

展望未来，我们将肩负国企担当，紧跟时代步伐，倡导绿色环保，践行“两山”理念，打造品牌标识，提升产业价值！力争成为技术领先、业绩卓著的行业典范！

Shandong Fully Packing Materials Co.,Ltd. was established in 2011 and is located in a national 5A scenic area, adjacent to the beautiful Weishan Lake, the largest wetland park in Asia. Mainly engaged in various POF, PE heat shrinkable film, heat shrinkable bag, bowl facial film, noodle film, printing film, and various degradable and plastic films, shopping bags, express bags, milk tea bags, flat bags, agricultural film and other products.

The company completed its corporate restructuring in 2020 and has a background in state-owned enterprises. In 2018, it completed the listing of Qilu Equity Trading Center. The company has a strong independent research and development team and technical capabilities, and has applied for more than 30 patents and software copyrights. It has successively obtained national level "high-tech enterprise", "specialized, refined, and innovative" enterprise, "engineering technology research center", "enterprise technology center" Honorary titles such as "Abiding by Contracts and Valuing Credit"; At the same time, we have obtained multiple international and domestic professional certifications such as QS, ISO9001 international quality system, BRC, SGS, GRS, and national safety production standardization system.

The company has 25 self-developed five layer co extruded environmental-friendly heat shrink film and biodegradable material production lines. At the same time, it is equipped with various professional slitting machines, folding machines, intelligent mixing machines, precise online thickness gauges, bag making machines, and advanced intelligent testing instruments, allowing each product to meet higher quality requirements.

For many years, Fully Company has always adhered to the business philosophy of "market-oriented, customer-centric, and quality oriented", with a good industry reputation. The company has established long-term cooperative relationships with numerous well-known domestic enterprises. The products are widely sold in countries and regions such as Europe, America, the Middle East, and Southeast Asia, and are widely used in industries such as food, industry, crafts, home appliances, pharmaceuticals, supermarkets, and agriculture. They are deeply supported and trusted by customers.

Looking forward to the future, we will shoulder the responsibility of state-owned enterprises, keep up with the pace of the times, advocate green environmental protection, practice the "Two Mountains" concept, create brand logos, and enhance industrial value! Strive to become a leading technology and outstanding industry model!




产品类别 Product category

POF热收缩膜 POF heat shrink film

POF热收缩膜具有环保、抗撕裂、高透明度、高收缩率等性能被广泛运用在汽车用品，塑料制品，食品，化妆品，药品，文具，书本，电子等产品的外包装。更适用于各种半自动或全自动收缩包装机。

POF heat shrink film has the property of environmental protection, tear resistance, high transparency, and high shrinkage rate, and it is widely used in the outer packaging of automotive products, plastic products, food, cosmetics, pharmaceuticals, stationery, books, electronics, and other products. And it is more suitable for various semi-automatic or fully automatic shrink packaging machines.



产品类别 Product category

POF热收缩膜的特性 Characteristics of POF heat shrink film

厚度可做到0.01mm (10 μ m) -0.035mm (35 μ m)，实际单位成本较低；
 收缩包装后，封口处四角柔软，耐揉搓；
 物性薄而韧，厚度均匀，防潮性好，抗拉强度高，耐撕裂强度大；
 可以根据客户要求，裁切成不同尺寸，可定制化生产。

The thickness can reach 0.01mm (10 μ m) -0.035mm (35 μ m) The actual unit cost is relatively low;

After shrinkage packaging, the four corners of the sealing area are soft and resistant to rubbing;

Thin and tough physical properties, uniform thickness, good moisture resistance, high tensile strength, and high tear resistance;

According to customer requirements, it can be cut into different sizes and can be customized for production.



PACKING EXAMPLE



产品类别 Product category

PE热收缩膜 PE heat shrink film

PE膜以高压聚乙烯(PE)塑料薄膜为基材。性质柔软且韧性较高,不易被穿刺和撕裂。被保护的产品在生产加工、运输、贮存和使用过程中不受污染,腐蚀,划伤,保护原有的光洁亮泽的表面,从而提高产品的质量及市场竞争力。常被用于建材、玻璃、家居、工艺品、仪器仪表等产品的包装。

厚度可做范围为0.03mm (30 μ m) -0.15mm (150 μ m),可做成透明,蓝色,黑色,乳白色,黑底白面等各种颜色,同时可根据客户要求做印刷袋子等产品。

The PE film is made of high-pressure polyethylene (PE) plastic film as the substrate. It is soft in nature and has high toughness, making it difficult to puncture and tear. The protected product is free from pollution, corrosion, scratches during production, processing, transportation, storage, and use, protecting its original smooth and shiny surface, thereby improving product quality and market competitiveness. It is often used for packaging products such as building materials, glass, home furnishings, handicrafts, instruments and meters.

The thickness can range from 0.03mm (30 μ m) -0.15mm (150 μ m) It can be made into various colors such as transparent, blue, black, milky white, black background and white surface. At the same time, it can be printed into bags and products according to customer requirements.



PACKING EXAMPLE



产品类别 Product category

PE保护膜特性 Characteristics of PE protective film

项目		指标
拉伸强度(纵横向)/MPa		≥10
撕裂标称应变 (纵横向)%	厚度 < 0.05mm	≥130
	厚度 ≥ 0.05mm	≥200



产品类别 Product category

降解产品 Degraded products

全生物降解塑料袋以淀粉为主要原料，降解能力优于其他材料，寿命长于纸袋，成本低于纸袋；
 产品降解周期短，符合国内国际质量标准要求；
 产品柔软、耐磨、可折叠、质感好；
 可做成降解购物袋、垃圾袋等多种产品。

Fully biodegradable plastic bags use starch as the main raw material, with better degradability than other materials, longer lifespan and lower cost than paper bags;

The product has a short degradation cycle and meets the requirements of domestic and international quality standards;

The product is soft, wear-resistant, foldable, and has a good texture;

The product can be made into multiple products such as degradable shopping bags and garbage bags.

The product can be exquisitely printed, of moderate size, and can package numerous products.



全生物降解地膜

➤ 生物降解 技术信赖

➤ 规格齐全 用途广泛



厂家货源/品质信赖/快速发货

白色农业地膜

- 产品材质 高密度聚乙烯
- 可选厚度 0.6s/1.2s/2s
- 可选宽度 60cm-2m
- 产品用途 保温保湿



产品特点

有增温、保湿性能，耐撕裂性能好，透明度好，夜间保温性能好，日照地面升温快。

黑色除草地膜

- 产品材质 高密度聚乙烯
- 可选厚度 0.6s/1.2s/2s
- 可选宽度 60cm-2m
- 产品用途 除草



产品特点

防止雨淋日晒，使肥料水分不致流失，透光率低有效抑制杂草生长，保持地温，减少夜间地面热量流失。

全生物降解流程

能再自然条件下较快完全降解
降解成水和二氧化碳，“袋”来好生态



铺膜开始状态 Film starting state



降解过程中 Degradation process




产品类别 Product category

超市购物袋 Supermarket shopping bags

定制化生产，根据客户要求定制各种厚度、尺寸、颜色并印刷图案。
 产品质量可靠、耐高温、抗穿刺能力强。
 采用优质原料生产，产品无异味，安全可靠。

Customized production, customizing various thicknesses, sizes, colors, and printing patterns according to customer requirements.

The product has reliable quality, high temperature resistance, and strong puncture resistance. The product is produced with high-quality raw materials, has no odor and is safe and reliable.



产品类别 Product category

垃圾袋及抽绳垃圾袋 Garbage bags and drawstring garbage bags

抗穿刺，抗高温，不易磨损，不渗漏；

无异味、颜色多、适合垃圾分类，承载力强，容量大；

抽绳垃圾袋不脏手，自动口，一次带走，垃圾易于包装，增加密封性，防止异味外流。

Puncture and high temperature resistance, less prone to wear and tear, and no leakage;

No odor, multiple colors, suitable for garbage classification, strong bearing capacity, and large capacity;

The drawstring garbage bag is not stain hands, automatically closes the seal, and can be taken away at once. The garbage is easy to pack, increases sealing, and prevents odor from flowing out.



TRASH BAG



产品类别 Product category

快递袋 courier bag

采用高强度原料，具有优异的抗拉强度，能够有效地保护商品，使物品安全无损地运输到指定地点。
 具有耐水、耐油、耐酸碱、耐污染等功能，可以有效保护货物不受潮湿、油水等损坏。
 质轻，可以节省运输费用，大大降低快递成本。
 印刷清晰，可以满足客户的定制要求，提升品牌形象。

Adopting high-strength raw materials with excellent tensile strength, it can effectively protect goods and ensure safe and non-destructive transportation to destination.

It has functions such as water, oil, acid and alkali, as well as pollution resistance, which can effectively protect goods from moisture, oil and water damage.

Lightweight, it can save transportation costs and greatly reduce express delivery costs.

Clear printing can meet the requirements of customer customization and enhance brand image.

韧性好才是真的好

用力拉扯 也不易拉断



▲ 绿色快递袋韧性测试



▲ 白色快递袋韧性测试



▲ 粉色快递袋韧性测试



▲ 黑色快递袋韧性测试





01 韧性强
韧性好 拉力强 轻松应对各种物件



02 粘性强
破坏性封口 一粘无法恢复 防止被盗



03 承重强
承重力强 耐磨损 不易破




现货尺寸对照表

尺寸(CM)			尺寸(CM)		
银/白/粉	银/白/粉	粉	银/白	银/白/粉	粉
12*16+5	13*19+5	15*23+5	15*24+5	17*25+5	18*30+5
100扎/袋	80扎/袋	60扎/袋	70扎/袋	60扎/袋	50扎/袋
尺寸(CM)			尺寸(CM)		
银/白	银/白	银/白/粉	银/白	粉	银/白
34*41+5	35*46+5	38*46+5	40*50+5	42*50+5	45*55+5
20扎/袋	15扎/袋	15扎/袋	15扎/袋	15扎/袋	10扎/袋
尺寸(CM)			尺寸(CM)		
粉	银/白/粉	银/白/粉	银/白/粉	银/白/粉	银/白/粉
19*23+5	20*25+5	20*30+5	25*34+5	28*35+5	32*38+5
50扎/袋	50扎/袋	50扎/袋	30扎/袋	30扎/袋	20扎/袋
尺寸(CM)			尺寸(CM)		
银/白	银/白	粉	银/白	银/白	/
50*55+5	50*65+5	51*55+5	55*60+5	60*75+5	/
10扎/袋	10扎/袋	8扎/袋	8扎/袋	6扎/袋	/

厂房设备 plant and equipment



企业荣誉 Corporate Honors





 shandongfullypacking.com

 山东省济宁市微山县经济开发区